ELSEVIER International Journal of Mass Spectrometry and Ion Processes 134 (1994) 249

AUTHOR INDEX

Andrews, S.R., 191
Armentrout, P.B., 203

Bayne, C., 169
Beranová, S., 83
Blais, J.C., 229
Block, J.H., 161
Blok-Tip, L., 41
Bolbach, G., 229
Brenton, A.G., 213

Chapon, E., 103
Correia, N., 197

Dalleska, N.F., 203
De Bièvre, P., L7
Dirks, J., 161
Donohue, D., 169
Drachsel, W., 161
Driaf, K., 229
Dunbar, R.C., 73
de Koster, C.G., 1

Enos, C.S., 213

Fahmey, M.A., 119
Fiedler, A., 239
Fiedler, R., 169
Foltin, M., 23
Fong, T.M., 221
Fournier, F., 229

Gaud, O., 229
Glosik, J., 67
Gnanayyan, L., 183
Granet, R., 229
Griffiths, W.J., 197
Grill, V., 23

Hansel, A., 55
Harris, F.M., 191, 197
Haverkamp, J., 41
Hawash, M.F., 119
Heerma, W., 41
Hemminger, J.C., 11
Holmlid, L., 129
Huang, J., 11

Ingemann, S., 141

Jain, H.C., 183

Kolibiar, M., 23
Krausz, P., 229

Lagg, A., 55
Land, D.P., 11
Lee, A.R., 213
Lindinger, W., 55, 67
Lukác, P., 23
Lundin, J., 129

Märk, T.D., 23
McIver, R.T., 11
Morizur, J.P., 103

Naves de Brito, A., 197
Nibbering, N.M.M., 141

Ong, P.P., 221

Rabbih, M.A., 119
Ramakumar, K.L., 183
Rao, R.M., 183
Rauth, T., 23

Schröder, D., 239
Schwarz, H., 239
Selim, E.T.M., 119
Severs, J.C., 191, 197
Skalsky, V., 67
Soo, K.A., 221
Spiro, M., 229

Tabet, J.C., 229
Takayama, M., L1
Tan, T.L., 221
Taucher, J., 55
Taylor, P.D.P., L7
Tessner, T., 161
Tiedemann, P.W., 11

Valkiers, S., L7
Vendelbo, D., L7
van den Berg, K.J., 141
van der Kerk, S.M., 41
van der Kerkvan Hoff, A.
van Houte, J.J., 1
van Thuijl, J., 1

Weddle, G., 73
Wesdemiotis, C., 83
Wilkins, A.C.R., 213

ELSEVIER International Journal of Mass Spectrometry and Ion Processes 134 (1994) 251–254

SUBJECT INDEX

Ab initio calculations
Triplet electronic states of the doubly charged ion of acetone: a combined theoretical and experimental study 197
Activation energy
Differences in fragmentation behaviour between α- and β-linked derivatized xylobiosides: explanation in terms of sigma conjugation 41
Alkaline-earth oxide ions
Guided ion beam studies of reactions of alkaline earth ions with O_2 203
Appearance energy
Loss of H^- and Cl^- from the molecular ions of chlorotoluene isomers using electron impact mass spectrometry 119
Aromatic substitution
Gas phase substitution reactions by radical cations. Part 3. Methylene transfer of the C–C ring-opened oxirane radical cation to pyrazole and imidazole 1
Atomic oxygen radical anion
Regioselectivity in the gas-phase reactions of the $O^{\cdot-}$ radical anion with (η^5-cyclopentadienyl)tricarbonylmanganese(I) and (η^5-methylcyclopentadienyl)tricarbonylmanganese(I): formation and structure of $C_5H_5MnO_n^-$ and $C_6H_7MnO_n^-$ ($n = 1, 2$) ions 141
Atomic weight
Determination of the isotopic composition and atomic weight of tungsten using gas source mass spectrometry: opening the route to the establishment of the traceability of tungsten amount measurements to the SI system? L7

Bond energies
Guided ion beam studies of reactions of alkaline earth ions with O_2 203

C_{60}
Formation of the quadruply-charged ion of C_{60} by gas-phase fast-particle bombardment using He, Ar and isobutane beams L1

C_{70}
Formation of the quadruply-charged ion of C_{60} by gas-phase fast-particle bombardment using He, Ar and isobutane beams L1
Chemical ionization
Gas phase substitution reactions by radical cations. Part 3. Methylene transfer of the C–C ring-opened oxirane radical cation to pyrazole and imidazole 1
Cluster ions
Dissociative ionization of an O_2 molecule in Ar_nO_2 clusters: a new method for monitoring excited states and for studying the dynamics of energy transfer processes in clusters? 23
Clusters
A TOFMS study of excited cesium species from a thermal plasma device 129

Desorption energies
Observation of doubly charged Ne_2 molecular ions by field desorption 161
Detector efficiency factors
Multidetector calibration for mass spectrometers 169
Double-charge-transfer spectroscopy
O_2^+ as a projectile ion in double-charge-transfer spectroscopy 191
Triplet electronic states of the doubly charged ion of acetone: a combined theoretical and experimental study 197
Dynamics of energy transfer
Dissociative ionization of an O_2 molecule in Ar_nO_2 clusters: a new method for monitoring excited states and for studying the dynamics of energy transfer processes in clusters? 23

Electron capture
Translational energy spectroscopy of single electron capture by C^{2+} ions in He, Ne and Ar 213
Triplet electronic states of the doubly charged ion of

acetone: a combined theoretical and experimental study 197
Electron impact
Loss of H˙ and Cl˙ from the molecular ions of chlorotoluene isomers using electron impact mass spectrometry 119
Electron impact ionization
Dissociative ionization of an O_2 molecule in Ar_nO_2 clusters: a new method for monitoring excited states and for studying the dynamics of energy transfer processes in clusters? 23
Electron transfer
O_2^+ as a projectile ion in double-charge-transfer spectroscopy 191

Field desorption
Observation of doubly charged Ne_2 molecular ions by field desorption 161
Fourier transform mass spectrometry
Dynamics of ion coupling in an FTMS ion trap and resulting effects on mass spectra, including isotope ratios 11
Fragmentation mechanisms
Dissociative ionization of an O_2 molecule in Ar_nO_2 clusters: a new method for monitoring excited states and for studying the dynamics of energy transfer processes in clusters? 23
FT-ICR
Regioselectivity in the gas-phase reactions of the $O^{\cdot-}$ radical anion with (η^5-cyclopentadienyl)tricarbonylmanganese(I) and (η^5-methylcyclopentadienyl)tricarbonylmanganese(I). Formation and structure of $C_5H_5MnO_n^-$ ($n = 1, 2$) ions 141

Gas-phase fast-particle bombardment
Formation of the quadruply-charged ion of C_{60} by gas-phase fast-particle bombardment using He, Ar and isobutane beams L1
α- and β-Glycosidic linkage
Differences in fragmentation behaviour between α- and β-linked derivatized xylobiosides: explanation in terms of sigma conjugation 41
Glycosylated
Secondary ion mass spectrometry of glycosated porphyrins 229

Human breath
Applications of proton transfer reactions to gas analysis 55
β-Hydroxy acylium ions
Rôle des complexes ion/neutre dans les décompositions unimoléculaires d'ions β-hydroxy acylium 103
Hypervalent radicals
The unimolecular chemistry of quaternary ammonium ions and their neutral counterparts 83

Impulsive reactions
Guided ion beam studies of reactions of alkaline earth ions with O_2 203
Ion beams
Guided ion beam studies of reactions of alkaline earth ions with O_2 203
Ion coupling
Dynamics of ion coupling in an FTMS ion trap and resulting effects on mass spectra, including isotope ratios 11
Ion cyclotron resonance
Efficiencies and size effects in radiative association of NO^+ with Lewis bases 73
Ion/molecule reactions
Efficiencies and size effects in radiative association of NO^+ with Lewis bases 73
Regioselectivity in the gas-phase reactions of the $O^{\cdot-}$ radical anion with (η^5-cyclopentadienyl)tricarbonylmanganese(I) and (η^5-methylcyclopentadienyl)tricarbonylmanganese(I). Formation and structure of $C_5H_5MnO_n^+$ and $C_6H_7MnO_n^-$ ($n = 1, 2$) ions 141
Ion/neutral complexes
Rôle des complexes ion/neutre dans les décompositions unimoléculaires d'ions β-hydroxy acylium 103
Ionization energies
Guided ion beam studies of reactions of alkaline earth ions with O_2 203
Iron chemistry
A neutralization–reionization (NR) case study for cationic iron complexes with simple ligands: NR mass spectra of $Fe(C_2H_4)^+$ and $Fe(CO)^+$ 239
Isobutane beam
Formation of the quadruply-charged ion of C_{60} by gas-phase fast-particle bombardment using He, Ar and isobutane beams L1
Isotope ratios
Dynamics of ion coupling in an FTMS ion trap and resulting effects on mass spectra, including isotope ratios 11
Isotopic abundance
Determination of the isotopic composition and atomic weight of tungsten using gas source mass spectrometry: opening the route to the establishment of the traceability of tungsten amount measurements to the SI system? L7

Isotopic analysis
Simultaneous isotopic analysis of uranium and plutonium by thermal ionisation mass spectrometry coupled to a variable multicollection detection system 183

Kinetic energy release
Loss of H^- and Cl^- from the molecular ions of chlorotoluene isomers using electron impact mass spectrometry 119

Metastable decay
Dissociative ionization of an O_2 molecule in Ar_nO_2 clusters: a new method for monitoring excited states and for studying the dynamics of energy transfer processes in clusters? 23
Methylene transfer
Gas phase substitution reactions by radical cations. Part 3. Methylene transfer of the C–C ring-opened oxirane radical cation to pyrazole and imidazole 1
MNDO calculations
Loss of H^- and Cl^- from the molecular ions of chlorotoluene isomers using electron impact mass spectrometry 119
MS–MS spectra
Differences in fragmentation behaviour between α- and β-linked derivatized xylobiosides: explanation in terms of sigma conjugation 41
Multicollection
Simultaneous isotopic analysis of uranium and plutinium by thermal ionisation mass spectrometry coupled to a variable multicollection detection system 183
Multidetector calibration
Multidetector calibration for mass spectrometers 169

Neutralization–reionization
A neutralization–reionization (NR) case study for cationic iron complexes with simple ligands: NR mass spectra of $Fe(C_2H_4)^+$ and $Fe(CO)^+$ 239
Nitrogen cluster
Observations of Arrhenius behaviour over 56 decades: dissociation of N_4^+ ions 67
Noble gas cations
Observations of doubly charged Ne_2 molecular ions by field desorption 161
Nucleophilic additions
Regioselectivity in the gas-phase reactions of the $O^{\cdot-}$ radical anion with (η^5-cyclopentadienyl)tricarbonylmanganese(I) and (η^5-methylcyclopentadienyl)tricarbonylmanganese(I). Formation and structure of $C_5H_5MnO_n^-$ and $C_6H_7MnO_n^-$ ($n = 1, 2$) ions 141

Oxirane
Gas phase substitution reactions by radical cations. Part 3. Methylene transfer of the C–C ring-opened oxirane radical cation to pyrazole and imidazole 1

Peak-jump experiments
Multidetector calibration for mass spectrometers 169
Peak-shift experiments
Multidetector calibration for mass spectrometers 169
Porphyrins
Secondary ion mass spectrometry of glycosated porphyrins 229
Proton transfer
Applications of proton transfer reactions to gas analysis 55

QCISD(T) calculations
A neutralization–reionization (NR) case study for cationic iron complexes with simple ligands: NR mass spectra of $Fe(C_2H_4)^+$ and $Fe(CO)^+$ 239
Quadruply-charged ion
Formation of the quadruply-charged ion of C_{60} by gas-phase fast-particle bombardment using He, Ar and isobutane beams L1
Quaternary ammonium ions
The unimolecular chemistry of quaternary ammonium ions and their neutral counterparts

Radiative association
Efficiencies and size effects in radiative association of NO^+ with Lewis bases 73
Rate coefficients
Observations of Arrhenius behaviour over 56 decades: dissociation of N_4^+ ions 67
Rubidium aluminosilicates
Studies on rubidium aluminosilicates as thermionic emitters of Rb^+ ions 221

Secondary ion mass spectrometry
Secondary ion mass spectrometry of glycosated porphyrins 229
Selected ion flow drift tube
Applications of proton transfer reactions to gas analysis 55
Sigma conjugation
Differences in fragmentation behaviour between α- and β-linked derivatized xylobiosides: explanation in terms of sigma conjugation 41

Thermal analysis
Simultaneous isotopic analysis of uranium and plutonium by thermal ionisation mass spectrometry

coupled to a variable multicollection detection system 183
Thermal plasma
A TOFMS study of excited cesium species from a thermal plasma device 129
Thermionic emission
Studies on rubidium aluminosilicates as thermionic emitters of Rb^+ ions 221
Thermionic energy converter
A TOFMS study of excited cesium species from a thermal plasma device 129
Through-bond interaction
Differences in fragmentation behaviour between α- and β-linked derivatized xylobiosides: explanation in terms of sigma conjugation 41
Time of flight
A TOFMS study of excited cesium species from a thermal plasma device 129
Trace gas analysis
Applications of proton transfer reactions to gas analysis 55
Traceability
Determination of the isotopic composition and atomic weight of tungsten using gas source mass spectrometry: opening the route to the establishment of the traceability of tungsten amount measurements to the SI system? L7
Translational energy spectroscopy
Translational energy spectroscopy of single electron capture by C^{2+} ions in He, Ne and Ar 213
Tungsten
Determination of the isotopic composition and atomic weight of tungsten using gas source mass spectrometry: opening the route to the establishment of the traceability of tungsten amount measurements to the SI system? L7

Unimolecular decomposition
Rôle des complexes ion/neutre dans les décompositions unimoléculaires d'ions β-hydroxy acylium 103